

**Amendments to the Claims**

Please amend claim 1 as indicated in the listing of claims.

Please cancel claims 20-24, 26-33, 35-38 and 40-41 without prejudice or disclaimer.

Please add new claim 42.

The listing of claims will replace all prior versions, and listings of claims in the application.

**Listing of the claims:**

1. (Currently amended) A method for manipulating or formulating a solid substance which melts under pressure of a gas without degrading at a temperature which is lower than the melting point of the substance at atmospheric pressure comprising:

providing the substance in a pressure chamber having an inlet and an outlet, wherein the outlet is above the inlet;

applying to the substance a liquefied gas or dense gas to melt the substance without degrading the substance;

equilibrating the molten substance and the liquefied gas or dense gas to form a homogeneous solution; and

contacting the solution with a carrier fluid, wherein the carrier fluid is passed through the solution and is at substantially the same pressure as the liquefied gas or dense gas, to pass the solution from the pressure chamber through the outlet into a vessel of lower pressure than the pressure of the liquefied gas or dense gas and carrier fluid to form particles of the substance.

2. (Canceled)

3. (Previously presented) The method of claim 1, wherein the carrier fluid is the same as the liquefied gas or dense gas.

4. (Previously presented) The method of claim 1, further comprising allowing the substance and the liquefied gas or dense gas to equilibrate for at least one minute before the contacting step.
5. (Previously presented) The method of claim 4, wherein the equilibration step is for a period of about 2 hours.
6. (Previously presented) The method of claim 1, wherein the substance is a pharmaceutical or biological compound.
7. (Previously presented) The method of claim 6, wherein the substance is cyclosporine.
8. (Previously presented) The method of claim 1, wherein the temperature is between 5°C and 150°C.
9. (Previously presented) The method of claim 1, wherein the pressure of the liquefied gas or dense gas and carrier gas is between 5 bar and 200 bar.
10. (Previously presented) The method of claim 9, wherein the liquefied gas or dense gas is carbon dioxide.
11. (Canceled)
12. (Previously presented) The method of claim 1, wherein at least 50% of the particles formed are between 50 and 5000 nanometers in diameter.

13. (Previously presented) The method of claim 1, wherein over 50% of the particles are less than 5000 nanometers in diameter.

14. (Previously presented) The method of claim 1, wherein the particles are encapsulated after the addition of an encapsulating material.

15. (Canceled)

16. (Previously presented) The method of claim 14, wherein the encapsulating material is biodegradable.

17. (Previously presented) The method of claim 14, wherein the encapsulating material is selected from the group consisting of polyethylene glycol, polyvinylpyrrolidone, poly(D,L-lactide-co-glycolide), poly cellulose acetate.

18. (Previously presented) The method of claim 14, wherein the encapsulated particles contain a mixture or combination of the substance and a polymer.

Claims 19-38. (Canceled)

39. (Previously presented) The method of claim 6, wherein the substance is gemfibrozil or fenofibrate.

Claims 40-41. (Canceled)

42. (New) The method of claim 1, wherein the solution is passed by the carrier fluid from the pressure chamber through the outlet into a vessel of lower pressure via a pre-pressurized nozzle.